



## HEBOFIX 45 base for aluminium profiles

### PRODUCT DESCRIPTION

The base for hook-and-loop fasteners with clamping foot serves as a gentle installation support of lines, cables and hoses. The clamping foot can be assembled by a 45° turn right or left into the rabbet of aluminium profiles. After that the base can be assembled with our hook-and-loop tape in variable length.

### ADVANTAGES

- // simple mounting without tools into popular aluminium profiles
- // through a 45° turn possible cable installation parallel or across to the profiles
- // variable length of the hook-and-loop tape, or already equipped with hook-and-loop tape

- // provides a tangle-free and protective cable installation
- // reusable
- // cable bundles can be extended easily
- // easy handling
- // reduced risk of injuries compared to use of cut off cable binders

### TECHNICAL DATA

Material: polyamide, reinforced with glass fibre, self-extinguishing according to UL94-V0

### ACCESSORIES


- // hook-and-loop tape on reel

### HEBOFIX 45 MOUNTING PROCEDURE



**HEBOFIX 45 BASE FOR ITEM-PROFILE WITH 8 MM-RABBET**


ITEM DESCRIPTION	ORDER NO.	DETAILED DESCRIPTION	PU
KBS-I8M 4-20 10	3011-162	clamping range 4-20 mm, hook-and-loop tape 7.5 mm and 10 mm	10
KBS-I8M 8-35 20	3011-164	clamping range 8-35 mm, hook-and-loop tape 20 mm	10
KBS-I8M 10-60 20	3011-166	clamping range 10-60 mm, hook-and-loop tape 20 mm	10

**HEBOFIX 45 BASE FOR ITEM-PROFILE WITH 8 MM-RABBET, EQUIPPED WITH HOOK-AND-LOOP TAPE**

ITEM DESCRIPTION	ORDER NO.	DETAILED DESCRIPTION	PU
KBS-I8M 4-20 10	3011-162-150	clamping range 4-20 mm, hook-and-loop tape 150 x 10 mm	10
KBS-I8M 8-35 20	3011-164-180	clamping range 8-35 mm, hook-and-loop tape 180 x 20 mm	10
KBS-I8M 10-60 20	3011-166-200	clamping range 10-60 mm, hook-and-loop tape 200 x 20 mm	10

**HEBOFIX 45 BASE FOR BOSCH-PROFILE WITH 8 MM-RABBET**


ITEM DESCRIPTION	ORDER NO.	DETAILED DESCRIPTION	PU
KBS-B8M 4-20 10	3011-172	clamping range 4-20 mm, hook-and-loop tape 7.5 mm and 10 mm	10
KBS-B8M 8-35 20	3011-174	clamping range 8-35 mm, hook-and-loop tape 20 mm	10
KBS-B8M 10-60 20	3011-176	clamping range 10-60 mm, hook-and-loop tape 20 mm	10

**HEBOFIX 45 BASE FOR BOSCH-PROFILE WITH 8 MM-RABBET, EQUIPPED WITH HOOK-AND-LOOP TAPE**

ITEM DESCRIPTION	ORDER NO.	DETAILED DESCRIPTION	PU
KBS-B8M 4-20 10	3011-172-150	clamping range 4-20 mm, hook-and-loop tape 150 x 10 mm	10
KBS-B8M 8-35 20	3011-174-180	clamping range 8-35 mm, hook-and-loop tape 180 x 20 mm	10
KBS-B8M 10-60 20	3011-176-200	clamping range 10-60 mm, hook-and-loop tape 200 x 20 mm	10


**HEBOFIX 45 BASE FOR BOSCH-PROFILE WITH 10 MM-RABBET**

ITEM DESCRIPTION	ORDER NO.	DETAILED DESCRIPTION	PU
KBS-B10M 4-20 10	3011-182	clamping range 4-20 mm, hook-and-loop tape 7.5 mm and 10 mm	10
KBS-B10M 8-35 20	3011-184	clamping range 8-35 mm, hook-and-loop tape 20 mm	10
KBS-B10M 10-60 20	3011-186	clamping range 10-60 mm, hook-and-loop tape 20 mm	10

**HEBOFIX 45 BASE FOR BOSCH-PROFILE WITH 10 MM-RABBET, EQUIPPED WITH HOOK-AND-LOOP TAPE**


ITEM DESCRIPTION	ORDER NO.	DETAILED DESCRIPTION	PU
KBS-B10M 4-20 10	3011-182-150	clamping range 4-20 mm, hook-and-loop tape 150 x 10 mm	10
KBS-B10M 8-35 20	3011-184-180	clamping range 8-35 mm, hook-and-loop tape 180 x 20 mm	10
KBS-B10M 10-60 20	3011-186-200	clamping range 10-60 mm, hook-and-loop tape 200 x 20 mm	10

HEBOFIX 45 BASE FOR MINITEC30			
ITEM DESCRIPTION	ORDER NO.	DETAILED DESCRIPTION	PU
KBS-MI8M 4-20 10	3011-142	clamping range 4-20 mm, hook-and-loop tape 7.5 mm and 10 mm	10
KBS-MI8M 8-35 20	3011-144	clamping range 8-35 mm, hook-and-loop tape 20 mm	10
KBS-MI8M 10-60 20	3011-146	clamping range 10-60 mm, hook-and-loop tape 20 mm	10




HEBOFIX 45 BASE FOR MINITEC30, EQUIPPED WITH HOOK-AND-LOOP TAPE			
ITEM DESCRIPTION	ORDER NO.	DETAILED DESCRIPTION	PU
KBS-MI8M 4-20 10	3011-142-150	clamping range 4-20 mm, hook-and-loop tape 150 x 10 mm	10
KBS-MI8M 8-35 20	3011-144-180	clamping range 8-35 mm, hook-and-loop tape 180 x 20 mm	10
KBS-MI8M 10-60 20	3011-146-200	clamping range 10-60 mm, hook-and-loop tape 200 x 20 mm	10

HEBOFIX 45 BASE FOR MINITEC45			
ITEM DESCRIPTION	ORDER NO.	DETAILED DESCRIPTION	PU
KBS-I8M 4-20 10	3011-162	clamping range 4-20 mm, hook-and-loop tape 7.5 mm and 10 mm	10
KBS-I8M 8-35 20	3011-164	clamping range 8-35 mm, hook-and-loop tape 20 mm	10
KBS-I8M 10-60 20	3011-166	clamping range 10-60 mm, hook-and-loop tape 20 mm	10



HEBOFIX 45 BASE FOR MINITEC45, EQUIPPED WITH HOOK-AND-LOOP TAPE			
ITEM DESCRIPTION	ORDER NO.	DETAILED DESCRIPTION	PU
KBS-I8M 4-20 10	3011-162-150	clamping range 4-20 mm, hook-and-loop tape 150 x 10 mm	10
KBS-I8M 8-35 20	3011-164-180	clamping range 8-35 mm, hook-and-loop tape 180 x 20 mm	10
KBS-I8M 10-60 20	3011-166-200	clamping range 10-60 mm, hook-and-loop tape 200 x 20 mm	10

HEBOFIX 45 BASE FOR MAYTEC PG16/PG40			
ITEM DESCRIPTION	ORDER NO.	DETAILED DESCRIPTION	PU
KBS-MA8M 4-20 10	3011-152	clamping range 4-20 mm, hook-and-loop tape 7.5 mm and 10 mm	10
KBS-MA8M 8-35 20	3011-154	clamping range 8-35 mm, hook-and-loop tape 20 mm	10
KBS-MA8M 10-60 20	3011-156	clamping range 10-60 mm, hook-and-loop tape 20 mm	10



HEBOFIX 45 BASE FOR MAYTEC PG16/PG40, EQUIPPED WITH HOOK-AND-LOOP TAPE			
ITEM DESCRIPTION	ORDER NO.	DETAILED DESCRIPTION	PU
KBS-MA8M 4-20 10	3011-152-150	clamping range 4-20 mm, hook-and-loop tape 150 x 10 mm	10
KBS-MA8M 8-35 20	3011-154-180	clamping range 8-35 mm, hook-and-loop tape 180 x 20 mm	10
KBS-MA8M 10-60 20	3011-156-200	clamping range 10-60 mm, hook-and-loop tape 200 x 20 mm	10